Water-quality measurements in the following table were made as part of the National Water-Quality Assessment Program (NAWQA) Reno-Carson City-Spanish Springs Major Aquifer study to monitor quarterly conditions of deep ground water.

Depths and Water Levels: Depths are referenced to land-surface datum (LSD).

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

Station number	Local identifier	Date	Time	Sample type	Depth of well, feet below LSD (72008)	Depth to water level, feet below LSD (72019)	Flow rate of well, gal/min (00058)	Turbidity, water, unfltrd field, NTU (61028)	Barometric pressure, mm Hg (00025)
390943119474802	N15 E19 13CADA2	10-15-03	1000	Environmental	190.	--	--	--	--
		10-28-03	1000	Environmental	190.	75.58	.50	2.2	641
		01-27-04	0830	**Blank**	*190.*	--	--	--	--
		01-27-04	1000	Environmental	190.	76.66	.50	.8	636
		04-05-04	0900	**Blank**	*190.*	--	--	--	--
		04-05-04	1100	Environmental	190.	77.68	1.0	3.3	636
		07-12-04	1200	Environmental	190.	80.43	.50	3.3	639
391014119450701	N15 E20 17AADC1	10-27-03	0915	Environmental	700.	--	415	.2	652
		01-26-04	0930	Environmental	700.	--	510	.4	643
		04-08-04	1015	Environmental	700.	--	465	.1	644
		07-12-04	0900	Environmental	700.	--	400	.2	644
392506119462201	N18 E20 19AABB1	10-29-03	0930	Environmental	530.	--	870	.2	635
		01-28-04	0930	Environmental	530.	--	850	.2	645
		04-06-04	0900	Environmental	530.	--	820	.4	641
		04-06-04	0901	**Spike**	530.	--	--	--	--
		07-14-04	0830	Environmental	530.	--	770	.2	645
393053119445601	N19 E20 16BCAC2	10-29-03	1115	Environmental	191.	--	548	.1	641
		01-28-04	1100	Environmental	191.	--	550	.2	651
		04-06-04	1100	Environmental	191.	--	540	.1	648
		07-13-04	1030	Environmental	191.	--	500	.2	650
393812119425701	N21 E20 34DDDC1	10-30-03	1000	Environmental	300.	--	860	.1	640
		10-30-03	1015	**Replicate**	*300.*	--	--	--	--
		01-29-04	0945	Environmental	300.	--	830	.2	650
		04-07-04	0930	Environmental	300.	37.90	860	.1	649
		04-07-04	1000	**Replicate**	*300.*	--	*850*	*.2*	*649*
		07-13-04	0830	Environmental	300.	--	800	.2	648

Station number	Date	Dissolved oxygen, mg/L (00300)	Dissolved oxygen, percent of saturation (00301)	pH, water, unfltrd field, std units (00400)	Specif. conductance, wat unf uS/cm 25 degC (00095)	Temperature, air, deg C (00020)	Temperature, water, deg C (00010)	Calcium water, fltrd, mg/L (00915)	Magnesium, water, fltrd, mg/L (00925)	Potassium, water, fltrd, mg/L (00935)	Sodium, water, fltrd, mg/L (00930)	Alkalinity, wat flt inc tit field, mg/L as CaCO3 (39086)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	.8	9	7.2	239	12.0	13.0	23.7	8.36	2.54	14.4	108
	01-27-04	--	--	--	--	--	--	*.01*	*<.008*	*<.16*	*<.10*	--
	01-27-04	1.0	11	6.9	239	7.0	11.0	24.6	8.19	2.39	13.6	108
	04-05-04	--	--	--	--	--	--	*.02*	*<.008*	*E.09*	*<.10*	--
	04-05-04	.9	10	6.6	248	18.0	13.5	24.9	8.71	2.56	14.1	106
	07-12-04	3.3	40	6.8	252	32.0	16.0	25.3	7.94	2.44	13.7	106
391014119450701	10-27-03	.8	9	8.0	191	11.0	15.7	19.9	2.55	.96	19.7	91
	01-26-04	1.6	18	7.3	238	1.0	11.8	27.5	5.47	1.21	17.3	116
	04-08-04	.7	9	7.9	191	17.5	17	20.5	2.58	.87	21.3	93
	07-12-04	.9	11	7.6	201	20.0	16.4	21.3	2.51	.93	19.9	94
392506119462201	10-29-03	4.9	63	7.4	216	19.0	18.2	16.0	10.5	5.69	11.0	122
	01-28-04	4.6	57	7.3	202	5.0	17.3	18.2	11.2	5.63	10.7	106
	04-06-04	4.3	54	7.2	205	15.1	18.2	17.1	10.2	5.49	10.8	106
	04-06-04	--	--	--	--	--	--	--	--	--	--	--
	07-14-04	4.5	57	7.1	215	26.0	18.3	16.4	9.09	5.44	10.3	105
393053119445601	10-29-03	.9	11	7.4	259	31.0	14.8	19.2	8.13	3.56	19.6	88
	01-28-04	1.0	11	7.3	238	10.0	13.1	21.0	8.41	3.59	20.7	88
	04-06-04	1.0	11	7.2	250	23.0	14.1	20.6	8.31	3.48	18.9	87
	07-13-04	1.0	11	7.2	260	25.0	13.9	20.5	7.81	3.57	18.3	87
393812119425701	10-30-03	1.0	12	7.6	946	11.0	14.9	69.4	15.9	5.86	105	178
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	1.2	14	7.5	954	7.0	14.9	81.2	19.1	6.22	112	183
	04-07-04	1.2	14	7.5	1,020	13.0	15.1	79.1	17.9	6.03	110	184
	04-07-04	*1.1*	*13*	*7.5*	*1,020*	*15.0*	*15.2*	*80.5*	*17.8*	*6.62*	*112*	*184*
	07-13-04	1.7	20	7.4	882	21.0	15.7	63.4	14.3	5.77	97.4	162

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

Station number	Date	Bicarbonate, wat flt incrm. titr., field, mg/L (00453)	Bromide water, fltrd, mg/L (71870)	Chloride, water, fltrd, mg/L (00940)	Fluoride, water, fltrd, mg/L (00950)	Silica, water, fltrd, mg/L (00955)	Sulfate water, fltrd, mg/L (00945)	Residue on evap. at 180degC wat flt mg/L (70300)	Ammonia + org-N, water, fltrd, mg/L as N (00623)	Ammonia water, fltrd, mg/L as N (00608)	Nitrite + nitrate water fltrd, mg/L as N (00631)	Nitrite water, fltrd, mg/L as N (00613)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	132	.02	7.33	.2	36.7	E.1	163	--	<.04	.93	<.008
	01-27-04	--	*<.02*	*<.20*	*<.2*	*<.04*	*<.2*	*<10*	--	*<.04*	*<.06*	*<.008*
	01-27-04	131	.02	7.47	<.2	36.6	3.3	158	--	<.04	.95	<.008
	04-05-04	--	*<.02*	*<.20*	*<.2*	*<.04*	*<.2*	*10*	--	*<.04*	*<.06*	*<.008*
	04-05-04	129	.02	7.50	.2	36.6	3.3	167	--	<.04	.96	<.008
	07-12-04	130	.02	7.83	.2	37.7	3.3	156	--	<.04	.97	<.008
391014119450701	10-27-03	112	.02	1.93	<.2	23.6	6.2	140	<.10	<.04	.20	<.008
	01-26-04	141	.02	3.59	<.2	26.5	4.8	156	--	<.04	.41	<.008
	04-08-04	113	E.01	1.87	<.2	23.6	6.6	135	--	<.04	.21	<.008
	07-12-04	115	.02	1.83	<.2	24.6	6.2	125	--	<.04	.21	<.008
392506119462201	10-29-03	149	E.01	1.33	<.2	63.3	2.9	177	--	<.04	.70	<.008
	01-28-04	130	.02	1.42	<.2	62.1	2.9	171	--	<.04	.70	<.008
	04-06-04	129	E.01	1.29	<.2	61.8	2.5	174	--	<.04	.70	<.008
	04-06-04	--	--	--	--	--	--	--	--	--	--	--
	07-14-04	128	.02	1.24	<.2	63.3	3.1	170	--	<.04	.68	<.008
393053119445601	10-29-03	108	E.01	7.05	<.2	37.9	22.5	173	--	<.04	1.17	<.008
	01-28-04	107	.03	7.01	<.2	39.1	23.1	185	--	<.04	1.14	<.008
	04-06-04	107	.02	7.06	<.2	37.0	19.2	178	--	<.04	1.20	<.008
	07-13-04	106	.03	7.10	<.2	39.0	22.5	172	--	<.04	1.12	<.008
393812119425701	10-30-03	217	.81	102	.5	71.4	120	641	--	<.04	7.04	<.008
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	223	.85	108	.5	69.3	131	678	--	<.04	7.38	<.008
	04-07-04	225	.85	105	.5	72.1	125	637	--	<.04	8.07	<.008
	04-07-04	*225*	*.84*	*104*	*.5*	*72.2*	*122*	*655*	--	*<.04*	*8.01*	*<.008*
	07-13-04	198	.81	93.9	.6	74.4	96.1	585	--	<.04	9.15	<.008

Station number	Date	Orthophosphate, water, fltrd, mg/L as P (00671)	Total nitrogen, wat flt by analysis, mg/L (62854)	Aluminum, water, fltrd, ug/L (01106)	Antimony, water, fltrd, ug/L (01095)	Arsenic water, fltrd, ug/L (01000)	Barium, water, fltrd, ug/L (01005)	Beryllium, water, fltrd, ug/L (01010)	Boron, water, fltrd, ug/L (01020)	Cadmium water, fltrd, ug/L (01025)	Chromium, water, fltrd, ug/L (01030)	Cobalt water, fltrd, ug/L (01035)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	.056	.94	--	--	--	--	--	--	--	--	--
	01-27-04	*<.006*	*<.03*	--	--	--	--	--	--	--	--	--
	01-27-04	.056	.95	--	--	--	--	--	--	--	--	--
	04-05-04	*<.006*	*<.03*	*<2*	*<.20*	*<.2*	*<.2*	*<.06*	*<8*	*<.04*	*<.8*	*<.014*
	04-05-04	.059	.93	<2	E.16	5.0	15	<.06	10	E.03	<.8	.065
	07-12-04	.054	1.01	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	.12	--	--	--	--	--	--	--	--	--	--
	01-26-04	.061	.40	--	--	--	--	--	--	--	--	--
	04-08-04	.126	.21	E1	<.20	8.2	22	<.06	12	<.04	1.0	.065
	07-12-04	.119	.22	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	.057	.68	--	--	--	--	--	--	--	--	--
	01-28-04	.056	.66	--	--	--	--	--	--	--	--	--
	04-06-04	.058	.68	M	E.15	4.1	64	<.06	23	<.04	1.3	.044
	04-06-04	--	--	--	--	--	--	--	--	--	--	--
	07-14-04	.055	.67	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	.048	1.22	--	--	--	--	--	--	--	--	--
	01-28-04	.052	1.12	--	--	--	--	--	--	--	--	--
	04-06-04	.047	1.15	<2	<.20	15.3	26	<.06	98	<.04	<.8	.057
	07-13-04	.043	1.17	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	.015	7.29	--	--	--	--	--	--	--	--	--
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	.017	7.46	--	--	--	--	--	--	--	--	--
	04-07-04	.018	7.71	M	E.13	8.8	109	<.06	484	.04	<.8	.271
	04-07-04	*.018*	*7.73*	*<2*	*E.13*	*8.9*	*109*	*<.06*	*490*	*.04*	*<.8*	*.267*
	07-13-04	.018	8.90	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

Station number	Date	Copper, water, fltrd, ug/L (01040)	Iron, water, fltrd, ug/L (01046)	Lead, water, fltrd, ug/L (01049)	Lithium water, fltrd, ug/L (01130)	Mangan-ese, water, fltrd, ug/L (01056)	Molyb-denum, water, fltrd, ug/L (01060)	Nickel, water, fltrd, ug/L (01065)	Selen-ium, water, fltrd, ug/L (01145)	Silver, water, fltrd, ug/L (01075)	Stront-ium, water, fltrd, ug/L (01080)	Thall-ium, water, fltrd, ug/L (01057)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	--	<6	--	--	<.8	--	--	--	--	--	--
	01-27-04	--	*<6*	--	--	*6.4*	--	--	--	--	--	--
	01-27-04	--	<6	--	--	E.7	--	--	--	--	--	--
	04-05-04	*<.4*	*<6*	*<.08*	*<.6*	*1.0*	*E.2*	*.08*	*<.4*	*<.2*	*<.40*	*<.04*
	04-05-04	E.2	<6	E.04	7.1	.7	3.8	.62	<.4	<.2	246	<.04
	07-12-04	--	<6	--	--	1.0	--	--	--	--	--	--
391014119450701	10-27-03	--	<6	--	--	E.5	--	--	--	--	--	--
	01-26-04	--	E6	--	--	3.9	--	--	--	--	--	--
	04-08-04	.6	<6	.40	4.7	.8	4.4	.73	<.4	<.2	188	<.04
	07-12-04	--	<6	--	--	E.5	--	--	--	--	--	--
392506119462201	10-29-03	--	<6	--	--	<.8	--	--	--	--	--	--
	01-28-04	--	<6	--	--	<.8	--	--	--	--	--	--
	04-06-04	.6	<19	.25	8.3	<.2	1.9	.48	<.4	<.2	175	<.04
	04-06-04	--	--	--	--	--	--	--	--	--	--	--
	07-14-04	--	<6	--	--	<.8	--	--	--	--	--	--
393053119445601	10-29-03	--	<6	--	--	14.8	--	--	--	--	--	--
	01-28-04	--	<6	--	--	26.5	--	--	--	--	--	--
	04-06-04	1.5	<6	.49	1.2	23.0	2.3	.54	<.4	<.2	184	<.04
	07-13-04	--	<6	--	--	25.9	--	--	--	--	--	--
393812119425701	10-30-03	--	E6	--	--	1.3	--	--	--	--	--	--
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	E5	--	--	2.1	--	--	--	--	--	--
	04-07-04	1.9	E4	.28	3.7	.6	12.5	2.53	1.7	<.2	776	<.04
	04-07-04	*2.0*	*E4*	*.28*	*3.6*	*.5*	*12.7*	*2.45*	*1.7*	*<.2*	*771*	*<.04*
	07-13-04	--	<6	--	--	<.8	--	--	--	--	--	--

Station number	Date	Vanad-ium, water, fltrd, ug/L (01085)	Zinc, water, fltrd, ug/L (01090)	2,6-Di-ethyl-aniline water fltrd 0.7u GF ug/L (82660)	CIAT, water, fltrd, ug/L (04040)	Aceto-chlor, water, fltrd, ug/L (49260)	Ala-chlor, water, fltrd, ug/L (46342)	alpha-HCH, water, fltrd, ug/L (34253)	[a]alpha-HCH-d6, surrog, wat flt 0.7u GF percent recovry (91065)	Atra-zine, water, fltrd, ug/L (39632)	Azin-phos-methyl, water, fltrd 0.7u GF ug/L (82686)	Ben-flur-alin, water, fltrd 0.7u GF ug/L (82673)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	--	--	<.006	<.006	<.006	<.005	<.005	92.9	<.007	<.050	<.010
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	04-05-04	*E.1*	*E.3*	*<.006*	*<.006*	*<.006*	*<.005*	*<.005*	*84.4*	*<.007*	*<.050*	*<.010*
	04-05-04	4.0	E.5	<.006	<.006	<.006	<.005	<.005	91.8	<.007	<.050	<.010
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	--	--	<.006	<.006	<.006	<.004	<.005	88.7	<.007	<.050	<.010
	01-26-04	--	--	--	--	--	--	--	--	--	--	--
	04-08-04	12.3	.9	<.006	<.006	<.006	<.005	<.005	93.6	<.007	<.050	<.010
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	--	--	<.006	<.006	<.006	<.005	<.005	81.9	<.007	<.050	<.010
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	9.9	2.7	<.006	<.006	<.006	<.005	<.005	86.4	<.007	<.050	<.010
	04-06-04	--	--	.103	E.040	.112	.114	.097	93.0	.118	E.097	.114
	07-14-04	--	--	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	--	--	<.006	<.006	<.006	<.005	<.005	86.4	<.007	<.050	<.010
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	3.2	1.7	<.006	E.005	<.006	<.005	<.005	85.9	<.007	<.050	<.010
	07-13-04	--	--	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	--	--	<.006	E.011	<.006	<.005	<.005	89.4	E.006	<.050	<.010
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--	--
	04-07-04	31.8	4.3	<.006	E.017	<.006	<.005	<.005	97.5	.011	<.050	<.010
	04-07-04	*31.7*	*3.0*	*<.006*	*E.014*	*<.006*	*<.005*	*<.005*	*93.3*	*.010*	*<.050*	*<.010*
	07-13-04	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

Station number	Date	Butylate, water, fltrd, ug/L (04028)	Carbaryl, water, fltrd 0.7u GF ug/L (82680)	Carbofuran, water, fltrd 0.7u GF ug/L (82674)	Chlorpyrifos water, fltrd, ug/L (38933)	cis-Permethrin water fltrd 0.7u GF ug/L (82687)	Cyanazine, water, fltrd, ug/L (04041)	DCPA, water fltrd 0.7u GF ug/L (82682)	Desulfinyl fipronil, water, fltrd, ug/L (62170)	Diazinon, water, fltrd, ug/L (39572)	[a]Diazinon-d10 surrog. wat flt 0.7u GF percent recovry (91063)	Dieldrin, water, fltrd, ug/L (39381)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	<.004	<.041	<.020	<.005	<.006	<.018	<.003	<.012	<.005	103	<.009
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	04-05-04	*<.004*	*<.041*	*<.020*	*<.005*	*<.006*	*<.018*	*<.003*	*<.012*	*<.005*	*99.3*	*<.009*
	04-05-04	<.004	<.041	<.020	<.005	<.006	<.018	<.003	<.012	<.005	101	<.009
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	<.002	<.041	<.020	<.005	<.006	<.018	<.003	<.004	<.005	91.8	<.005
	01-26-04	--	--	--	--	--	--	--	--	--	--	--
	04-08-04	<.004	<.041	<.020	<.005	<.006	<.018	<.003	<.012	<.005	106	<.009
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	<.004	E.019	<.020	<.005	<.006	<.018	<.003	<.012	<.005	86.7	<.009
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.004	E.007	<.020	<.005	<.006	<.018	<.003	<.012	<.005	92.5	<.009
	04-06-04	.099	E.168	E.154	.100	.080	.145	.102	.127	.100	106	.092
	07-14-04	--	--	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	<.004	<.041	<.020	<.005	<.006	<.018	<.003	<.012	<.005	88.1	<.009
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.004	<.041	<.020	<.005	<.006	<.018	<.003	<.012	<.005	96.8	<.009
	07-13-04	--	--	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	<.004	<.041	<.020	<.005	<.006	<.018	<.003	<.012	<.005	92.9	<.009
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--	--
	04-07-04	<.004	<.041	<.020	<.005	<.006	<.018	<.003	<.012	<.005	107	<.009
	04-07-04	*<.004*	*<.041*	*<.020*	*<.005*	*<.006*	*<.018*	*<.003*	*<.012*	*<.005*	*103*	*<.009*
	07-13-04	--	--	--	--	--	--	--	--	--	--	--

Station number	Date	Disulfoton, water, fltrd 0.7u GF ug/L (82677)	EPTC, water, fltrd 0.7u GF ug/L (82668)	Ethalfluralin, water, fltrd 0.7u GF ug/L (82663)	Ethoprop, water, fltrd 0.7u GF ug/L (82672)	Desulfinyl-fipronil amide, wat flt ug/L (62169)	Fipronil sulfide water, fltrd, ug/L (62167)	Fipronil sulfone water, fltrd, ug/L (62168)	Fipronil, water, fltrd, ug/L (62166)	Fonofos water, fltrd, ug/L (04095)	Lindane water, fltrd, ug/L (39341)	Linuron water fltrd 0.7u GF ug/L (82666)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	<.02	<.004	<.009	<.005	<.029	<.013	<.024	<.016	<.003	<.004	<.035
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	04-05-04	*<.02*	*<.004*	*<.009*	*<.005*	*<.029*	*<.013*	*<.024*	*<.016*	*<.003*	*<.004*	*<.035*
	04-05-04	<.02	<.004	<.009	<.005	<.029	<.013	<.024	<.016	<.003	<.004	<.035
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	<.02	<.002	<.009	<.005	<.009	<.005	<.005	<.007	<.003	<.004	<.035
	01-26-04	--	--	--	--	--	--	--	--	--	--	--
	04-08-04	<.02	<.004	<.009	<.005	<.029	<.013	<.024	<.016	<.003	<.004	<.035
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	<.02	<.004	<.009	<.005	<.029	<.013	<.024	<.016	<.003	<.004	<.035
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.02	<.004	<.009	<.005	<.029	<.013	<.024	<.016	<.003	<.004	<.035
	04-06-04	.07	.099	.129	.103	E.173	E.113	.099	E.152	.099	.097	.108
	07-14-04	--	--	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	<.02	<.004	<.009	<.005	<.029	<.013	<.024	<.016	<.003	<.004	<.035
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.02	<.004	<.009	<.005	<.029	<.013	<.024	<.016	<.003	<.004	<.035
	07-13-04	--	--	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	<.02	<.004	<.009	<.005	<.029	<.013	<.024	<.016	<.003	<.004	<.035
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--	--
	04-07-04	<.02	<.004	<.009	<.005	<.029	<.013	<.024	<.016	<.003	<.004	<.035
	04-07-04	*<.02*	*<.004*	*<.009*	*<.005*	*<.029*	*<.013*	*<.024*	*<.016*	*<.003*	*<.004*	*<.035*
	07-13-04	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

Station number	Date	Malathion, water, fltrd, ug/L (39532)	Methyl parathion, water, fltrd 0.7u GF ug/L (82667)	Metolachlor, water, fltrd, ug/L (39415)	Metribuzin, water, fltrd, ug/L (82630)	Molinate, water, fltrd 0.7u GF ug/L (82671)	Napropamide, water, fltrd 0.7u GF ug/L (82684)	p,p-' DDE, water, fltrd, ug/L (34653)	Parathion, water, fltrd, ug/L (39542)	Pebulate, water, fltrd 0.7u GF ug/L (82669)	Pendimethalin, water, fltrd 0.7u GF ug/L (82683)	Phorate water fltrd 0.7u GF ug/L (82664)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	<.027	<.015	<.013	<.006	<.003	<.007	<.003	<.010	<.004	<.022	<.011
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	04-05-04	*<.027*	*<.015*	*<.013*	*<.006*	*<.003*	*<.007*	*<.003*	*<.010*	*<.004*	*<.022*	*<.011*
	04-05-04	<.027	<.015	<.013	<.006	<.003	<.007	<.003	<.010	<.004	<.022	<.011
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	<.027	<.006	<.013	<.006	<.002	<.007	<.003	<.010	<.004	<.022	<.011
	01-26-04	--	--	--	--	--	--	--	--	--	--	--
	04-08-04	<.027	<.015	<.013	<.006	<.003	<.007	<.003	<.010	<.004	<.022	<.011
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	<.027	<.015	<.013	<.006	<.003	<.007	<.003	<.010	<.004	<.022	<.011
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.027	<.015	<.013	<.006	<.003	<.007	<.003	<.010	<.004	<.022	<.011
	04-06-04	.128	.118	.120	.083	.099	.101	.064	.124	.098	.128	.095
	07-14-04	--	--	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	<.027	<.015	<.013	<.006	<.003	<.007	<.003	<.010	<.004	<.022	<.011
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.027	<.015	<.013	<.006	<.003	<.007	<.003	<.010	<.004	<.022	<.011
	07-13-04	--	--	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	<.027	<.015	<.013	<.006	<.003	<.007	<.003	<.010	<.004	<.022	<.011
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--	--
	04-07-04	<.027	<.015	<.013	<.006	<.003	<.007	<.003	<.010	<.004	<.022	<.011
	04-07-04	*<.027*	*<.015*	*<.013*	*<.006*	*<.003*	*<.007*	*<.003*	*<.010*	*<.004*	*<.022*	*<.011*
	07-13-04	--	--	--	--	--	--	--	--	--	--	--

Station number	Date	Prometon, water, fltrd, ug/L (04037)	Propyzamide, water, fltrd 0.7u GF ug/L (82676)	Propachlor, water, fltrd, ug/L (04024)	Propanil, water, fltrd 0.7u GF ug/L (82679)	Propargite, water, fltrd 0.7u GF ug/L (82685)	Simazine, water, fltrd, ug/L (04035)	Tebuthiuron water fltrd 0.7u GF ug/L (82670)	Terbacil, water, fltrd 0.7u GF ug/L (82665)	Terbufos, water, fltrd 0.7u GF ug/L (82675)	Thiobencarb water fltrd 0.7u GF ug/L (82681)	Triallate, water, fltrd 0.7u GF ug/L (82678)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	<.01	<.004	<.025	<.011	<.02	<.005	<.02	<.034	<.02	<.010	<.002
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	04-05-04	*<.01*	*<.004*	*<.025*	*<.011*	*<.02*	*<.005*	*<.02*	*<.034*	*<.02*	*<.010*	*<.002*
	04-05-04	<.01	<.004	<.025	<.011	<.02	<.005	<.02	<.034	<.02	<.010	<.002
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	<.01	<.004	<.010	<.011	<.02	<.005	<.02	<.034	<.02	<.005	<.002
	01-26-04	--	--	--	--	--	--	--	--	--	--	--
	04-08-04	<.01	<.004	<.025	<.011	<.02	<.005	<.02	<.034	<.02	<.010	<.002
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	<.01	<.004	<.025	<.011	<.02	<.005	<.02	<.034	<.02	<.010	<.002
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.01	<.004	<.025	<.011	<.02	<.005	<.02	<.034	<.02	<.010	<.002
	04-06-04	.12	.098	.113	.127	.15	.118	.15	E.103	.09	.107	.100
	07-14-04	--	--	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	<.01	<.004	<.025	<.011	<.02	<.005	<.02	<.034	<.02	<.010	<.002
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.01	<.004	<.025	<.011	<.02	<.005	<.02	<.034	<.02	<.010	<.002
	07-13-04	--	--	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	<.01	<.004	<.025	<.011	<.02	<.005	<.02	<.034	<.02	<.010	<.002
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--	--
	04-07-04	<.01	<.004	<.025	<.011	<.02	<.005	<.02	<.034	<.02	<.010	<.002
	04-07-04	*<.01*	*<.004*	*<.025*	*<.011*	*<.02*	*<.005*	*<.02*	*<.034*	*<.02*	*<.010*	*<.002*
	07-13-04	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

Station number	Date	Trifluralin, water, fltrd 0.7u GF ug/L (82661)	1,1,1,2-Tetrachloroethane, water, unfltrd ug/L (77562)	1,1,1-Trichloroethane, water, unfltrd ug/L (34506)	1,1,2,2-Tetrachloroethane, water, unfltrd ug/L (34516)	CFC-113 water unfltrd ug/L (77652)	1,1,2-Trichloroethane, water, unfltrd ug/L (34511)	1,1-Dichloroethane, water unfltrd ug/L (34496)	1,1-Dichloroethene, water, unfltrd ug/L (34501)	1,1-Dichloropropene water unfltrd ug/L (77168)	1,2,3,4 Tetramethylbenzene water unfltrd ug/L (49999)	1,2,3,5 Tetramethylbenzene water unfltrd ug/L (50000)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	<.009	<.03	<.03	<.16	<.04	<.06	<.04	<.02	<.03	<.1	<.1
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	04-05-04	*<.009*	*<.03*	*<.03*	*<.16*	*<.04*	*<.06*	*<.04*	*<.02*	*<.03*	*<.1*	*<.1*
	04-05-04	<.009	<.03	<.03	<.16	<.04	<.06	<.04	<.02	<.03	<.1	<.1
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	<.009	<.03	<.03	<.16	<.04	<.06	<.04	<.02	<.03	<.1	<.1
	01-26-04	--	--	--	--	--	--	--	--	--	--	--
	04-08-04	<.009	<.03	<.03	<.16	<.04	<.06	<.04	<.02	<.03	<.1	<.1
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	<.009	<.03	<.03	<.16	<.04	<.06	<.04	<.02	<.03	<.1	<.1
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.009	<.03	<.03	<.16	<.04	<.06	<.04	<.02	<.03	<.1	<.1
	04-06-04	.114	.54	.55	1.55	.51	.68	1.03	.48	.68	2.4	2.9
	07-14-04	--	--	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	<.009	<.03	<.03	<.16	<.04	<.06	<.04	<.02	<.03	<.1	<.1
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.009	<.03	<.03	<.16	<.04	<.06	<.04	<.02	<.03	<.1	<.1
	07-13-04	--	--	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	<.009	<.03	<.03	<.16	<.04	<.06	<.04	<.02	<.03	<.1	<.1
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--	--
	04-07-04	<.009	<.03	<.03	<.16	<.04	<.06	<.04	<.02	<.03	<.1	<.1
	04-07-04	*<.009*	*<.03*	*<.03*	*<.16*	*<.04*	*<.06*	*<.04*	*<.02*	*<.03*	*<.1*	*<.1*
	07-13-04	--	--	--	--	--	--	--	--	--	--	--

Station number	Date	1,2,3-Trichlorobenzene water unfltrd ug/L (77613)	1,2,3-Trichloropropane water unfltrd ug/L (77443)	1,2,3-Trimethylbenzene water unfltrd ug/L (77221)	1,2,4-Trichlorobenzene water unfltrd ug/L (34551)	1,2,4-Trimethylbenzene water unfltrd ug/L (77222)	Dibromochloropropane water unfltrd ug/L (82625)	1,2-Dibromoethane, water, unfltrd ug/L (77651)	1,2-Dichlorobenzene water unfltrd ug/L (34536)	1,2-Dichloroethane, water, unfltrd ug/L (32103)	[a]1,2-Dichloroethane-d4, sur Sch2090 wat unf pct rcv (99832)	1,2-Dichloropropane water unfltrd ug/L (34541)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	<.3	<.18	<.1	<.1	<.06	<.5	<.04	<.05	<.1	95.1	<.03
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	04-05-04	*<.3*	*<.18*	*<.1*	*<.1*	*<.06*	*<.5*	*<.04*	*<.05*	*<.1*	*101*	*<.03*
	04-05-04	<.3	<.18	<.1	<.1	<.06	<.5	<.04	<.05	<.1	109	<.03
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	<.3	<.18	<.1	<.1	<.06	<.5	<.04	<.05	<.1	99.2	<.03
	01-26-04	--	--	--	--	--	--	--	--	--	--	--
	04-08-04	<.3	<.18	<.1	<.1	<.06	<.5	<.04	<.05	<.1	124	<.03
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	<.3	<.18	<.1	<.1	<.06	<.5	<.04	<.05	<.1	94.4	<.03
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.3	<.18	<.1	<.1	<.06	<.5	<.04	<.05	<.1	121	<.03
	04-06-04	3.1	1.84	1.3	1.2	.64	6.0	.53	.56	1.6	123	.50
	07-14-04	--	--	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	<.3	<.18	<.1	<.1	<.06	<.5	<.04	<.05	<.1	95.5	<.03
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.3	<.18	<.1	<.1	<.06	<.5	<.04	<.05	<.1	118	<.03
	07-13-04	--	--	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	<.3	<.18	<.1	<.1	<.06	<.5	<.04	<.05	<.1	98.3	<.03
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--	--
	04-07-04	<.3	<.18	<.1	<.1	<.06	<.5	<.04	<.05	<.1	117	<.03
	04-07-04	*<.3*	*<.18*	*<.1*	*<.1*	*<.06*	*<.5*	*<.04*	*<.05*	*<.1*	*119*	*<.03*
	07-13-04	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

Station number	Date	1,3,5-Tri-methyl-benzene water unfltrd ug/L (77226)	1,3-Di-chloro-benzene water unfltrd ug/L (34566)	1,3-Di-chloro-propane water unfltrd ug/L (77173)	1,4-Di-chloro-benzene water unfltrd ug/L (34571)	[a]14Bromo fluoro-benzene surrog. VOC Sch wat unf pct rcv (99834)	2,2-Di-chloro-propane water unfltrd ug/L (77170)	2-Chloro-toluene water unfltrd ug/L (77275)	2-Ethyl-toluene water unfltrd ug/L (77220)	3-Chloro-propene water unfltrd ug/L (78109)	4-Chloro-toluene water unfltrd ug/L (77277)	4-Iso-propyl-toluene water unfltrd ug/L (77356)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	<.04	<.03	<.1	<.03	75.4	<.05	<.04	<.06	<.50	<.05	<.08
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	04-05-04	*<.04*	*<.03*	*<.1*	*<.03*	*98.0*	*<.05*	*<.04*	*<.06*	*<.50*	*<.05*	*<.08*
	04-05-04	<.04	<.03	<.1	<.03	97.8	<.05	<.04	<.06	<.50	<.05	<.08
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	<.04	<.03	<.1	<.03	80.8	<.05	<.04	<.06	<.50	<.05	<.08
	01-26-04	--	--	--	--	--	--	--	--	--	--	--
	04-08-04	<.04	<.03	<.1	<.03	103	<.05	<.04	<.06	<.50	<.05	<.08
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	<.04	<.03	<.1	<.03	75.1	<.05	<.04	<.06	<.50	<.05	<.08
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.04	<.03	<.1	<.03	99.5	<.05	<.04	<.06	<.50	<.05	<.08
	04-06-04	.50	.53	1.3	.52	110	E1.61	.51	.60	E2.29	.59	1.09
	07-14-04	--	--	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	<.04	<.03	<.1	<.03	72.0	<.05	<.04	<.06	<.50	<.05	<.08
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.04	<.03	<.1	<.03	98.5	<.05	<.04	<.06	<.50	<.05	<.08
	07-13-04	--	--	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	<.04	<.03	<.1	<.03	71.9	<.05	<.04	<.06	<.50	<.05	<.08
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--	--
	04-07-04	<.04	<.03	<.1	<.03	94.4	<.05	<.04	<.06	<.50	<.05	<.08
	04-07-04	*<.04*	*<.03*	*<.1*	*<.03*	*94.8*	*<.05*	*<.04*	*<.06*	*<.50*	*<.05*	*<.08*
	07-13-04	--	--	--	--	--	--	--	--	--	--	--

Station number	Date	Acetone water unfltrd ug/L (81552)	Acrylo-nitrile water unfltrd ug/L (34215)	Benzene water unfltrd ug/L (34030)	Bromo-benzene water unfltrd ug/L (81555)	Bromo-chloro-methane water unfltrd ug/L (77297)	Bromo-di-chloro-methane water unfltrd ug/L (32101)	Bromo-ethene, water, unfltrd ug/L (50002)	Bromo-methane water unfltrd ug/L (34413)	Carbon di-sulfide water unfltrd ug/L (77041)	Chloro-benzene water unfltrd ug/L (34301)	Chloro-ethane, water, unfltrd ug/L (34311)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	<6	<1	<.02	<.03	<.12	<.03	<.1	<.3	<.04	<.03	<.1
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	04-05-04	*<6*	*<1*	*<.02*	*<.03*	*<.12*	*<.03*	*<.1*	*<.3*	*<.04*	*<.03*	*<.1*
	04-05-04	<6	<1	<.02	<.03	<.12	<.03	<.1	<.3	<.04	<.03	<.1
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	<6	<1	<.02	<.03	<.12	<.03	<.1	<.3	<.04	<.03	<.1
	01-26-04	--	--	--	--	--	--	--	--	--	--	--
	04-08-04	<6	<1	<.02	<.03	<.12	<.03	<.1	<.3	<.04	<.03	<.1
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	<6	<1	<.02	<.03	<.12	<.03	<.1	<.3	<.04	<.03	<.1
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<6	<1	<.02	<.03	<.12	<.03	<.1	<.3	<.04	<.03	<.1
	04-06-04	75	13	.52	.53	E1.64	.61	2.0	E2.8	.69	.50	1.4
	07-14-04	--	--	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	<6	<1	<.02	<.03	<.12	<.03	<.1	<.3	<.04	<.03	<.1
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<6	<1	<.02	<.03	<.12	<.03	<.1	<.3	<.04	<.03	<.1
	07-13-04	--	--	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	<6	<1	<.02	<.03	<.12	<.03	<.1	<.3	<.04	<.03	<.1
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--	--
	04-07-04	<6	<1	<.02	<.03	<.12	<.03	<.1	<.3	<.04	<.03	<.1
	04-07-04	*<6*	*<1*	*<.02*	*<.03*	*<.12*	*<.03*	*<.1*	*<.3*	*<.04*	*<.03*	*<.1*
	07-13-04	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

Station number	Date	Chloromethane water unfltrd ug/L (34418)	cis-1,2-Dichloroethene, water, unfltrd ug/L (77093)	cis-1,3-Dichloropropene water unfltrd ug/L (34704)	Dibromochloromethane water unfltrd ug/L (32105)	Dibromomethane water unfltrd ug/L (30217)	Dichlorodifluoromethane wat unf ug/L (34668)	Dichloromethane water unfltrd ug/L (34423)	Diethyl ether, water, unfltrd ug/L (81576)	Diisopropyl ether, water, unfltrd ug/L (81577)	Ethyl methacrylate, water, unfltrd ug/L (73570)	Ethyl methyl ketone, water, unfltrd ug/L (81595)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	<.2	<.02	<.05	<.1	<.05	<.18	<.1	<.1	<.10	<.2	<4.0
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	04-05-04	*<.2*	*<.02*	*<.05*	*<.1*	*<.05*	*<.18*	*M*	*<.1*	*<.10*	*<.2*	*<4.0*
	04-05-04	<.2	<.02	<.05	<.1	<.05	<.18	<.1	<.1	<.10	<.2	<4.0
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	<.2	<.02	<.05	<.1	<.05	<.18	<.1	<.1	<.10	<.2	<4.0
	01-26-04	--	--	--	--	--	--	--	--	--	--	--
	04-08-04	<.2	<.02	<.05	<.1	<.05	<.18	<.1	<.1	<.10	<.2	<4.0
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	<.2	<.02	<.05	<.1	<.05	<.18	<.1	<.1	<.10	<.2	<4.0
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.2	<.02	<.05	<.1	<.05	<.18	<.1	<.1	<.10	<.2	<4.0
	04-06-04	E1.8	.51	.86	2.0	E.69	E1.45	1.9	1.7	1.01	2.7	48.5
	07-14-04	--	--	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	<.2	<.02	<.05	<.1	<.05	<.18	<.1	<.1	<.10	<.2	<4.0
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.2	<.02	<.05	<.1	<.05	<.18	<.1	<.1	<.10	<.2	<4.0
	07-13-04	--	--	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	<.2	<.02	<.05	<.1	<.05	<.18	<.1	<.1	<.10	<.2	<4.0
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--	--
	04-07-04	<.2	<.02	<.05	<.1	<.05	<.18	<.1	<.1	<.10	<.2	<4.0
	04-07-04	*<.2*	*<.02*	*<.05*	*<.1*	*<.05*	*<.18*	*<.1*	*<.1*	*<.10*	*<.2*	*<4.0*
	07-13-04	--	--	--	--	--	--	--	--	--	--	--

Station number	Date	Ethylbenzene water unfltrd ug/L (34371)	Hexachlorobutadiene, water, unfltrd ug/L (39702)	Hexachloroethane, water, unfltrd ug/L (34396)	Iodomethane water unfltrd ug/L (77424)	Isobutyl methyl ketone, water, unfltrd ug/L (78133)	Isopropylbenzene water unfltrd ug/L (77223)	Methyl acrylonitrile water unfltrd ug/L (81593)	Methyl acrylate, water, unfltrd ug/L (49991)	Methyl methacrylate, water, unfltrd ug/L (81597)	Methyl tert-pentyl ether, water, unfltrd ug/L (50005)	meta- + para-Xylene, water, unfltrd ug/L (85795)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	<.03	<.1	<.1	<.35	<.4	<.04	<.8	<2.0	<.3	<.08	<.06
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	04-05-04	*<.03*	*<.1*	*<.1*	*<.35*	*<.4*	*<.04*	*<.8*	*<2.0*	*<.3*	*<.08*	*E.01*
	04-05-04	<.03	<.1	<.1	<.35	<.4	<.04	<.8	<2.0	<.3	<.08	<.06
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	<.03	<.1	<.1	<.35	<.4	<.04	<.8	<2.0	<.3	<.08	<.06
	01-26-04	--	--	--	--	--	--	--	--	--	--	--
	04-08-04	<.03	<.1	<.1	<.35	<.4	<.04	<.8	<2.0	<.3	<.08	<.06
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	<.03	<.1	<.1	<.35	<.4	<.04	<.8	<2.0	<.3	<.08	<.06
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.03	<.1	<.1	<.35	<.4	<.04	<.8	<2.0	<.3	<.08	<.06
	04-06-04	.47	1.2	2.0	E3.23	4.8	.47	6.4	15.6	3.2	.73	.57
	07-14-04	--	--	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	<.03	<.1	<.1	<.35	<.4	<.04	<.8	<2.0	<.3	<.08	<.06
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.03	<.1	<.1	<.35	<.4	<.04	<.8	<2.0	<.3	<.08	<.06
	07-13-04	--	--	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	<.03	<.1	<.1	<.35	<.4	<.04	<.8	<2.0	<.3	<.08	<.06
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--	--
	04-07-04	<.03	<.1	<.1	<.35	<.4	<.04	<.8	<2.0	<.3	<.08	<.06
	04-07-04	*<.03*	*<.1*	*<.1*	*<.35*	*<.4*	*<.04*	*<.8*	*<2.0*	*<.3*	*<.08*	*<.06*
	07-13-04	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

Station number	Date	Naphthalene, water, unfltrd ug/L (34696)	Methyl n-butyl ketone, water, unfltrd ug/L (77103)	n-Butyl benzene water unfltrd ug/L (77342)	n-propylbenzene water unfltrd ug/L (77224)	o-Xylene, water, unfltrd ug/L (77135)	sec-Butylbenzene water unfltrd ug/L (77350)	Styrene water unfltrd ug/L (77128)	t-Butyl ethyl ether, water, unfltrd ug/L (50004)	Methyl t-butyl ether, water, unfltrd ug/L (78032)	tert-Butylbenzene water unfltrd ug/L (77353)	Tetrachloroethene, water, unfltrd ug/L (34475)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	<.5	<.7	<.1	<.04	<.04	<.06	<.04	<.05	<.2	<.06	E.03
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	04-05-04	*<.5*	*<.7*	*<.1*	*<.04*	*<.04*	*<.06*	*<.04*	*<.05*	*<.2*	*<.06*	*<.06*
	04-05-04	<.5	<.7	<.1	<.04	<.04	<.06	<.04	<.05	<.2	<.06	E.04
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	<.5	<.7	<.1	<.04	<.04	<.06	<.04	<.05	<.2	<.06	<.06
	01-26-04	--	--	--	--	--	--	--	--	--	--	--
	04-08-04	<.5	<.7	<.1	<.04	<.04	<.06	<.04	<.05	<.2	<.06	<.06
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	<.5	<.7	<.1	<.04	<.04	<.06	<.04	<.05	<.2	<.06	<.06
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.5	<.7	<.1	<.04	<.04	<.06	<.04	<.05	<.2	<.06	<.06
	04-06-04	5.5	7.7	1.8	.46	.59	.47	.49	.48	2.0	1.05	.49
	07-14-04	--	--	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	<.5	<.7	<.1	<.04	<.04	<.06	<.04	<.05	<.2	<.06	.11
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.5	<.7	<.1	<.04	<.04	<.06	<.04	<.05	<.2	<.06	E.09
	07-13-04	--	--	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	<.5	<.7	<.1	<.04	<.04	<.06	<.04	<.05	<.2	<.06	<.06
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--	--
	04-07-04	<.5	<.7	<.1	<.04	<.04	<.06	<.04	<.05	<.2	<.06	<.06
	04-07-04	*<.5*	*<.7*	*<.1*	*<.04*	*<.04*	*<.06*	*<.04*	*<.05*	*<.2*	*<.06*	*<.06*
	07-13-04	--	--	--	--	--	--	--	--	--	--	--

Station number	Date	Tetrachloromethane water unfltrd ug/L (32102)	Tetrahydrofuran, water, unfltrd ug/L (81607)	Toluene water unfltrd ug/L (34010)	[a]Toluene-d8, surrog, Sch2090 wat unf percent recovry (99833)	trans-1,2-Dichloroethene, water, unfltrd ug/L (34546)	trans-1,3-Dichloropropene water unfltrd ug/L (34699)	trans-1,4-Dichloro-2-butene, wat unf ug/L (73547)	Tribromomethane water unfltrd ug/L (32104)	Trichloroethene, water, unfltrd ug/L (39180)	Trichlorofluoromethane water unfltrd ug/L (34488)	Trichloromethane water unfltrd ug/L (32106)
390943119474802	10-15-03	--	--	--	--	--	--	--	--	--	--	--
	10-28-03	<.06	<2	E.09	89.9	<.03	<.09	<.7	<.10	<.04	<.16	<.02
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--	--
	04-05-04	*<.06*	*M*	*E.09*	*98.9*	*<.03*	*<.09*	*<.7*	*<.10*	*<.04*	*<.16*	*<.02*
	04-05-04	<.06	<2	<.05	100	<.03	<.09	<.7	<.10	<.04	<.16	<.02
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
391014119450701	10-27-03	<.06	<2	<.05	93.7	<.03	<.09	<.7	<.10	<.04	<.16	<.02
	01-26-04	--	--	--	--	--	--	--	--	--	--	--
	04-08-04	<.06	<2	<.05	104	<.03	<.09	<.7	<.10	<.04	<.16	<.02
	07-12-04	--	--	--	--	--	--	--	--	--	--	--
392506119462201	10-29-03	<.06	<2	<.05	86.9	<.03	<.09	<.7	<.10	<.04	<.16	E.04
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.06	<2	<.05	101	<.03	<.09	<.7	<.10	<.04	<.16	E.04
	04-06-04	.77	21	.49	106	.49	1.43	9.0	1.17	.51	.97	.60
	07-14-04	--	--	--	--	--	--	--	--	--	--	--
393053119445601	10-29-03	<.06	<2	<.05	88.0	<.03	<.09	<.7	<.10	<.04	<.16	E.06
	01-28-04	--	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.06	<2	<.05	101	<.03	<.09	<.7	<.10	<.04	<.16	E.06
	07-13-04	--	--	--	--	--	--	--	--	--	--	--
393812119425701	10-30-03	<.06	<2	<.05	87.0	<.03	<.09	<.7	<.10	<.04	<.16	<.02
	10-30-03	--	--	--	--	--	--	--	--	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--	--
	04-07-04	<.06	<2	<.05	101	<.03	<.09	<.7	<.10	<.04	<.16	<.02
	04-07-04	*<.06*	*<2*	*<.05*	*102*	*<.03*	*<.09*	*<.7*	*<.10*	*<.04*	*<.16*	*<.02*
	07-13-04	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

Station number	Date	Vinyl chlor-ide, water, unfltrd ug/L (39175)	Alpha radioac 30 day, wat flt Th-230, pCi/L (62639)	Alpha radioac 72 hr, wat flt Th-230, pCi/L (62636)	Beta radioac 30 day, wat flt Cs-137, pCi/L (62645)	Beta radioac 72 hr, wat flt Cs-137, pCi/L (62642)	Deu-terium/ Protium ratio, water, unfltrd per mil (82082)	O-18 / O-16 ratio, water, unfltrd per mil (82085)	Ra-226, water, fltrd, radon method pCi/L (09511)	Ra-228, water, fltrd, pCi/L (81366)	Uranium natural water, fltrd, ug/L (22703)
390943119474802	10-15-03	--	--	--	--	--	-111	-14.96	--	--	--
	10-28-03	<.1	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--
	01-27-04	--	--	--	--	--	--	--	--	--	--
	04-05-04	*<.1*	--	--	--	--	--	--	--	--	*<.04*
	04-05-04	<.1	--	--	--	--	--	--	--	--	1.16
	07-12-04	--	M	M	4	2	--	--	.01	M	--
391014119450701	10-27-03	<.1	--	--	--	--	--	--	--	--	--
	01-26-04	--	--	--	--	--	--	--	--	--	--
	04-08-04	<.1	--	--	--	--	--	--	--	--	29.5
	07-12-04	--	7	8	14	3	--	--	.12	M	--
392506119462201	10-29-03	<.1	--	--	--	--	-115	-15.41	--	--	--
	01-28-04	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.1	--	--	--	--	--	--	--	--	3.46
	04-06-04	1.2	--	--	--	--	--	--	--	--	--
	07-14-04	--	M	M	7	6	--	--	.06	M	--
393053119445601	10-29-03	<.1	--	--	--	--	--	--	--	--	--
	01-28-04	--	--	--	--	--	--	--	--	--	--
	04-06-04	<.1	--	--	--	--	--	--	--	--	.88
	07-13-04	--	M	M	4	3	--	--	.02	M	--
393812119425701	10-30-03	<.1	--	--	--	--	-112	-14.26	--	--	--
	10-30-03	--	--	--	--	--	*-112*	*-14.25*	--	--	--
	01-29-04	--	--	--	--	--	--	--	--	--	--
	04-07-04	<.1	--	--	--	--	--	--	--	--	9.74
	04-07-04	*<.1*	--	--	--	--	--	--	--	--	*9.62*
	07-13-04	--	1	3	7	6	--	--	.11	M	--

Remark codes used in this table:
< -- Less than
E -- Estimated value
M -- Presence verified, not quantified

[a] -- Listed values are recovery percentages for the indicated compounds. These compounds are added to the sample to determine the relative recovery of other organic compounds that are detected using the same analytical method.